

pplication No.	Applicant(s)
0/002.759	LIEBERMAN ET AL.
	Art Unit
ONNIE L. CROSLAND	2636
ITS. This application is subject to	
<u>-05</u> .	
Examiner.	•
een received. een received in Application No	 national stage application from the
	complying with the requirements
d. Note the attached EXAMINER reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF ation is deficient.
e submitted. 's Patent Drawing Review (PTO- mendment / Comment or in the C (c)) should be written on the drawin	Office action of engs in the front (not the back) of
of BIOLOGICAL MATERIAL r R THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.
 Interview Summary Paper No./Mail Dat ⊠ Examiner's Amendr 	
	R REMAINS) CLOSED in this ap other appropriate communication ITS. This application is subject to MPEP 1308. -05. Examiner. r 35 U.S.C. § 119(a)-(d) or (f). een received. een received in Application No ments have been received in this this communication to file a reply IT of this application. d. Note the attached EXAMINER reason(s) why the oath or declarate submitted. 's Patent Drawing Review (PTO- mendment / Comment or in the Comment or in the Communication of BIOLOGICAL MATERIAL of R THE DEPOSIT OF BIOLOGIC 5. ☐ Notice of Informal F G. ☐ Interview Summary Paper No./Mail Dar T. ☑ Examiner's Amendra R. ☐ Examiner's Statements of the summary Statements of Examiner's Statements of the summary Paper No./Mail Dar T. ☑ Examiner's Statements of Examiner's Statements of the subject to the summary Paper No./Mail Dar T. ☑ Examiner's Statements of Examiner's Statements of the subject to the s

Application/Control Number: 10/002,759

Art Unit: 2636

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: In the drawing submitted 2-1-05, in the heading, -NEW SHEET- was inserted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DONNIE L. CROSLAND whose telephone number is 571-272-2980. The examiner can normally be reached on Mon-Fri, 9:30a-6:00p.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JEFFERY HOFSASS can be reached on 571-272-2981. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/002,759

Art Unit: 2636

Primary Examinar

Primary Examiner

Art Unit 2636

Dlc 2-23-05